

# **Introduction to GCC and Header Files**

**Clare So**

`socm@mcmaster.ca`

# Compiling C Programs

- We have the following program hello.c

```
#include <stdlib.h>
#include <stdio.h>

int main() {
    printf("Hi mom! I can program in C!");
    return 0;
}
```

# Compiling C Programs

- We can compile `hello.c` using `gcc`

```
[socm@birkhoff ~]$ gcc hello.c  
[socm@birkhoff ~]$ a.out  
Hi mom! I can program in C!  
[socm@birkhoff ~]$
```

- `-o` option can be used to specify the name of the executable

```
[socm@birkhoff ~]$ gcc hello.c -o hello  
[socm@birkhoff ~]$ hello  
Hi mom! I can program in C!  
[socm@birkhoff ~]$
```

# How to Deal with Multiple Source Files?

- We have the following C procedure in foo.c

```
#include <math.h>

double mysterious_procedure(double r) {
    return pow(sin(r),2)+pow(cos(r),2);
}
```

# How to Deal with Multiple Source Files?

- mysterious\_procedure is invoked in main.c

```
#include <stdlib.h>
#include <stdio.h>

#define PI 3.14

double mysterious_procedure(double r);

int main() {
    double result = mysterious_procedure(PI);
    printf("The mysterious result is %f\n",result);
    return 0;
}
```

# Compiling Multiple Source Files

- We compile the source code and run the program

```
[socm@birkhoff ~]$ gcc -c foo.c
[socm@birkhoff ~]$ gcc -c main.c
[socm@birkhoff ~]$ gcc main.o foo.o -o main -lm
[socm@birkhoff ~]$ main
The mysterious result is 1.000000
[socm@birkhoff ~]$
```

- **Important:** `-lm` option is needed for programs using `math.h`

# Stages of Compilation

- Four stages are involved to turn the source code into executable files
  - Pre-process** – strip out comments, expand #include etc
  - Compile** – parse the source code and produce assembly code
  - Assemble** – produce object files (aka `.o` files) from the assembly code
  - Link** – build an executable by linking together object files
- Note that
  - `-c` tells `gcc` to stop at assemble stage
  - `-o` tells `gcc` to link the object files

# Why Use Header Files?

- You want to share your module but don't want other people to see its actual implementation
- Just give them the object files? No!
  - How can other people know the prototypes of the procedures?
- Solution: Give them the **object files** and the **header files** only

# Contents of Header Files

- `#include` directive
- Macro definition  
(Example: `define`)
- Type definition  
(Example: Cigar struct from last tutorial)
- Prototypes of the procedures  
(Example: `double mysterious_procedure(double r)`)

# Using Header Files for Our Example

- foo.h

```
#include <math.h>

double mysterious_procedure(double r);
```

- foo.c

```
#include "foo.h"

double mysterious_procedure(double r){
    return pow(sin(r),2)+pow(cos(r),2);
}
```

# Using Header Files for Our Example

- main.c

```
#include <stdlib.h>
#include <stdio.h>
#include "foo.h"

#define PI 3.14

int main() {
    double result = mysterious_procedure(PI);
    printf("The mysterious result is %f\n",result);
    return 0;
}
```